


## Finite State Automata

The term "Automata" is derived from the Greek word "αὐτόματα" which means "self-acting". An automaton (Automata in plural) is an abstract self-propelled computing device which follows a predetermined sequence of operations automatically. An automaton with a finite number of states is called a **Finite Automaton** (FA) or **Finite State Machine** (FSM).

الآتي هو شكل رسومي يمثل تنقلات بين مجموعة حالات تسيطر عليها قواعد عن طريق شريط من المدخلات.



The above device consisting of a tape and a control circuit, which satisfy the following conditions:

1. The tape starts from the left end and extends to the right without an end.
2. The tape is divided into squares in each a symbol.
3. The tape has a read only head.
4. The head moves to the right one square every time it reads a symbol. It never moves to the left. When it sees no symbol, it stops, and the automata terminates its operation.
5. There is a control determines the state of the automaton and also controls the movement of the head.

## Formal definition of a Finite Automaton

An automaton can be represented by a 5-tuple  $(Q, \Sigma, \delta, q, F)$ ,

Where,

$Q$  is a finite set of **states**  $= \{q_0, q_1, q_2, \dots\}$ .

$\Sigma$  is a finite set of symbols  $= \{a, b, \dots, 0, 1, \dots\}$ , called the **alphabet** of the automaton.

$\delta$  is the **transition function**.

$q$  is the **initial state** from where any input is processed ( $q \in Q$ ).

$F$  is a set of **final state/states** of  $Q$  ( $F \subseteq Q$ ).

## Deterministic & Non-Deterministic Finite Automata

Finite Automaton can be classified into two types:


- Deterministic Finite Automaton (DFA) الاتوماتا المنتهي الحتمي
- Non-deterministic Finite Automaton (NDFA / NFA) الاتوماتا المنتهي اللاحتمي

## Deterministic Finite Automaton (DFA)

In DFA, for each input symbol, one can determine the state to which the machine will move. Hence, it is called **Deterministic Automaton**. As it has a finite number of states, the machine is called **Deterministic Finite Machine** or **Deterministic Finite Automaton**.

الآتوماتا المنتهي الحتمي: هو آتوماتا عدد حالاته منتهى، وكل حالة  $q_i$  يخرج منها عدد اسمهم بعدد رموز الأبجدية، وكل سهم يكون مختلف عن الآخر بالرمز المختار له.

المثال الآتي هو آتوماتا منتهى حتمي على الأبجدية  $\Sigma = \{0, 1\}$  حيث نلاحظ أنه من كل حالة يخرج عدد اسمهم مساوٍ لعدد رموز الأبجدية ولا يوجد سهمين لهما نفس الرمز يخرجان من نفس الحالة.



### Formal Definition of a DFA

A DFA can be represented by a 5-tuple  $(Q, \Sigma, \delta, q_0, F)$  where:

$Q$  is a finite set of states.

$\Sigma$  is a finite set of symbols called the alphabet.

$\delta$  is the transition function where  $\delta: Q \times \Sigma \rightarrow Q$ .

$q_0$  is the initial state from where any input is processed ( $q_0 \in Q$ ).

$F$  is a set of final state/states of  $Q$  ( $F \subseteq Q$ ).

### Graphical Representation of a DFA

A DFA is represented by digraphs called **state diagram**.

- The vertices represent the states.
- The arcs labelled with an input alphabet show the transitions.
- The initial state is denoted by an empty single incoming arc.
- The final state is indicated by double circles.

### Example

Let a deterministic finite automaton be  $\rightarrow$

$Q = \{a, b, c\}$ ,

$\Sigma = \{0, 1\}$ ,


$q = \{a\}$ ,

$F = \{c\}$ , and

Transition function  $\delta$  as shown by the following table:

Present State	Next State for Input 0	Next State for Input 1
a	a	b
b	c	a
c	b	c

Its graphical representation would be as follows:



### Non-deterministic Finite Automaton (NFA)

In NFA, for a particular input symbol, the machine can move to any combination of the states in the machine. In other words, the exact state to which the machine moves cannot be determined. Hence, it is called **Non-deterministic Automaton**. As it has a finite number of states, the machine is called **Non-deterministic Finite Machine** or **Non-deterministic Finite Automaton**.

### Formal Definition of an NFA

An NFA can be represented by a 5-tuple  $(Q, \Sigma, \delta, q_0, F)$  where:

$Q$  is a finite set of states.

$\Sigma$  is a finite set of symbols called the alphabets.

$\delta$  is the transition function where  $\delta: Q \times \Sigma \rightarrow 2^Q$

(Here the power set of  $Q$  ( $2^Q$ ) has been taken because in case of NFA, from a state, transition can occur to any combination of  $Q$  states).

$q_0$  is the initial state from where any input is processed ( $q_0 \in Q$ ).


$F$  is a set of final state/states of  $Q$  ( $F \subseteq Q$ ).

### Graphical Representation of an NFA: (same as DFA)

An NFA is represented by digraphs called **state diagram**.

- The vertices represent the states.
- The arcs labeled with an input alphabet show the transitions.
- The initial state is denoted by an empty single incoming arc.
- The final state is indicated by double circles.

الاتوماتا المنتهي الاحتمالي: هو اوتوماتا عدد حالاته منتهي، وكل حالة  $q_i$  ليس بالضرورة أن يخرج منها عدد اسهم بعدد رموز الابدجية (ممكن أقل وممكن أكثر)، وايضاً ليس بالضرورة كل سهم مختلف عن الآخر بالاختيار ويمكن للحالة الواحدة أن يوجد اختيار ينقلنا لعدة حالات مختلفة. المثال الآتي هو اوتوماتا منتهي لا حتمي على الابدجية  $\Sigma = \{0, 1\}$  حيث نلاحظ خروج سهمين من الحالة  $q_1$  لهما نفس الرمز وبالتالي ليسا مختلفين.



### Example

Let a non-deterministic finite automaton be  $\rightarrow$

$$Q = \{a, b, c\}$$

$$\Sigma = \{0, 1\}$$


$$q_0 = \{a\}$$

$$F = \{c\}, \text{ and}$$

The Transition function  $\delta$  as shown below:

Present State	Next State for Input 0	Next State for Input 1
a	a, b	b
b	c	a, c
c	b, c	c

Its graphical representation would be as follows:



**ملاحظة:** في الأوتوماتا المنتهي الحتمي فإن الأسهم التي تخرج من كل حالة تكون مساوية لعدد رموز الأبجدية بينما في الأوتوماتا المنتهي الاحتمالي فليس بالضرورة أن تساوي عدد رموز الأبجدية، وأيضاً في الأوتوماتا المنتهي الاحتمالي قد يخرج من حالة واحدة سهمان (أو أكثر) يحملان نفس قيمة الرمز ويصلان إلى نفس الحالة (أو أكثر) وهذا الأمر غير ممكن في الأوتوماتا المنتهي الحتمي.

### DFA vs NFA

The following table lists the differences between DFA and NFA:

DFA	NFA
The transition from a state is to a single particular next state for each input symbol. Hence it is called <i>deterministic</i> .	The transition from a state can be to multiple next states for each input symbol. Hence it is called <i>non-deterministic</i> .
Empty string transitions are not seen in DFA.	NFA permits empty string transitions.
Backtracking is allowed in DFA.	In NFA, backtracking is not always possible.
Requires more space.	Requires less space.
A string is accepted by a DFA, if it transits to a final state.	A string is accepted by a NFA, if at least one of all possible transitions ends in a final state.