

Lecturer :Asst. Prof. Dr. Hijran Abdulilah Al-Salihi

Subject :Mathematical Logic

Lecture Title :Advanced Logical Systems, Predicate Logic, and the Foundations of Set Theory

Academic Year2026-2025 :

Chapter Four: Logical Systems, Propositional Functions, Quantifiers, and the Method of Proof

Introduction

The transition from propositional logic to predicate logic represents an advanced stage in the evolution of mathematical logic. Attention is no longer confined to studying propositions as isolated units with fixed truth values; instead, the focus shifts toward analyzing the internal structure of the proposition, uncovering its constituent elements, and examining the relations that bind its parts. This development has led to the emergence of logical systems far more capable of expressing complex relations that simple formulas in propositional logic fail to capture.

A logical system refers to a structured set of symbols, definitions, and rules used to construct logical expressions and derive conclusions precisely and consistently. A logical system is not merely a collection of characters; rather, it is an integrated intellectual framework aimed at organizing thought and inference processes according to specific principles. Its importance lies in providing a formal language that permits the analysis of propositions far from the ambiguity that characterizes natural language.

The development of logical systems brought forth the concept of propositional functions, which is one of the most critical concepts in modern mathematical logic. A standard proposition possesses a specific truth value, whereas a propositional function is a symbolic expression containing one or more variables. It cannot be judged as true or false until these variables are replaced by specific values or individuals. For instance, if we say "x is human," this expression is not a complete proposition as long as the symbol (x) remains unspecified; however, it

transforms into a proposition with a definitive truth value when we replace the variable with a specific name, such as "Ali is human".

Consequently, it became possible to analyze the internal content of propositions with greater accuracy. The proposition is no longer treated as a closed unit, but rather as a structure consisting of a subject, a predicate, and the relation linking them. This analysis has allowed for uncovering the deep logical structures underlying various linguistic expressions, and has enabled logicians to study general relations and shared characteristics among individuals and things.

Propositional functions are intimately linked to the concept of variables. A variable is a symbol that can refer to an unspecified number of individuals or objects, serving as a fundamental tool for expressing generality and abstraction within mathematical logic. The use of variables has expanded logic's capacity to express general laws and universal judgments that cannot be represented through single, isolated propositions alone.

To define the scope of variables and employ them accurately, logical quantifiers were introduced as one of the most significant innovations in predicate logic. The universal quantifier expresses that a judgment encompasses all individuals within a domain, whereas the existential (particular) quantifier denotes the existence of at least one individual for whom the specified attribute or relation holds true. Quantifiers have contributed to transforming general and particular judgments into clear symbolic formulas that can be subjected to logical analysis and mathematical proof.

The importance of quantifiers stems from their ability to express universal and existential propositions precisely. When we say "All humans are mortal," we apply a universal judgment that includes every member of the human class. Conversely, when we say "Some students are industrious," we express the existence of specific individuals to whom the attribute applies, without extending the judgment to all members. This distinction has enabled logicians to construct more advanced systems to study the logical relations between different judgments.

Through the study of quantifiers, a clear distinction emerged between free variables and bound variables. A free variable is one that appears in a

propositional function without being subject to a logical quantifier that restricts its scope. On the other hand, a variable becomes bound when it falls within the scope of a universal or existential quantifier. This distinction is vital for understanding the logical structure of compound propositions and for determining the exact meaning of symbolic expressions.

The relationship between propositions and propositional functions represents a key topic in mathematical logic. A proposition can be viewed as a special case of a propositional function where the variables have been assigned specific values. Meanwhile, a propositional function represents the general formula that can generate a large number of distinct propositions depending on the values assigned to its variables. Hence, propositional functions have become an effective tool for expressing general laws, scientific theories, and mathematical relations.

This evolution has led to building an integrated network of theorems and rules of inference that allow deriving conclusions from premises according to strict logical foundations. A theorem is a proposition whose truth is proven based on a set of recognized definitions, axioms, and inference rules within the logical system. Theorems derive their importance from being necessary conclusions resulting from primary principles that are assumed to be free of error or contradiction.

The process of proof relies on a series of organized logical steps that begin with given premises and terminate at a necessary conclusion. A proof must be consistent, free of fallacies, and grounded upon valid rules of inference. Through these rules, one can move from particular propositions to general judgments or vice versa, and uncover hidden relationships linking different concepts.

The application of systems of definitions has advanced the deductive method within mathematical logic, making it possible to construct concepts precisely and determine their core properties before utilizing them in reasoning. A logical definition is not merely a linguistic explanation of a term; it is a formal tool that determines the domain of a concept, its boundaries, and its relations to other concepts. Thus, definitions have become an essential part of the logical architecture of any scientific or philosophical system.

The significance of these concepts is not confined to logic alone; it extends to mathematics, computer science, artificial intelligence, linguistics, and contemporary analytic philosophy. Modern computer programming relies heavily on variables, functions, and logical quantifiers, while artificial intelligence systems depend on rules of inference and proof to process information and make decisions.

Thus, it is clear that studying logical systems, propositional functions, quantifiers, and theorems represents an advanced stage of mathematical logic. It exposes the internal structure of human thought and provides precise tools to analyze the relations and inferences upon which various sciences are built. Through these tools, mathematical logic has managed to surpass the limits of traditional propositional logic, moving to a deeper and more comprehensive level in the study of thought, language, and knowledge.

Chapter Five: Set Theory and Operations Between Sets

Introduction

Set theory is one of the most vital foundations upon which the contemporary structure of mathematics and mathematical logic rests. Indeed, many researchers consider it the common language through which diverse mathematical and logical concepts can be expressed. This theory has occupied a central position since the late nineteenth century, when mathematicians and logicians sought more accurate and rigorous foundations to organize mathematical knowledge. They found in the concept of a set a powerful tool capable of unifying different concepts and relations within a single logical framework.

The importance of set theory is not limited to mathematics alone; it extends directly into logic, philosophy, computer science, artificial intelligence, and linguistics because it provides a precise means to express relations between objects, classify them, and study their shared characteristics. Consequently, set theory has become an essential part of studying modern mathematical logic, as it aids in understanding the nature of classification, abstraction, and the logical relations that connect concepts and individuals.

Origin and Development of Set Theory

The emergence of set theory is historically tied to the name of the German mathematician Georg Cantor, who is considered the actual founder of this branch of knowledge. His research initiated from an attempt to study infinite sets and distinguish between their different types—an endeavor that yielded results that triggered a profound shift in contemporary mathematical thought.

At their inception, Cantor's ideas faced substantial criticism and opposition, because the concept of infinity raised complex philosophical and mathematical paradoxes. However, subsequent developments proved the immense value of this theory and its role in establishing modern mathematics on clearer and more precise foundations.

With the advancement of mathematical logic, set theory became an indispensable tool for analyzing mathematical and logical structures, making it possible to express numbers, relations, functions, and various mathematical systems within a unified framework.

The Concept of a Set

A set is defined as a collection of well-defined objects or elements, such that it is possible to determine clearly whether any given element belongs or does not belong to it. The objects that make up the set are called its elements.

The concept of a set is characterized by a high degree of abstraction; a set can consist of material objects, mental concepts, numbers, symbols, individuals, or even other sets. When we speak of the set of students in a classroom, the set of even numbers, or the set of Muslim philosophers, we refer in each case to a collection of elements united by a specific description or property.

The clarity of the criterion of membership is the fundamental condition for the existence of a set, since ambiguity in specifying the elements leads to a loss of the required logical precision.

Methods of Defining Sets

A set can be defined in more than one way, depending on the nature of its constituent elements:

- **The Roster (Listing) Method** :This first method consists of listing the elements of the set directly when their number is finite and known.
- **The Set-Builder (Description) Method** :This second method relies on specifying the shared property that characterizes the elements of the set, without the need to list them all individually.

The importance of the description method becomes particularly evident when dealing with large or infinite sets whose elements are impossible to count completely. These methods reveal the abstract nature of sets, showing that the true value of a set lies not in how it is written, but in the precise determination of its elements and relations.

Classification of Sets

The expansion of set theory led to several classifications that help understand their nature and the relations existing between them:

- **By Number of Elements** :A distinction can be made between finite sets and infinite sets.
- **By Nature of Elements** :A distinction can be made between numerical sets, symbolic sets, and conceptual sets.

Sets can also be classified according to the relations of containment and membership, which has given rise to the concepts of subsets, universal sets, and other fundamental notions. Classification is a necessary step in logical analysis because it helps organize knowledge and uncover structural relationships between different concepts.

Types of Sets

Among the most critical types of sets addressed in mathematical logic and modern mathematics is the **Empty Set** ,which is the set that contains no elements at all. Despite being devoid of elements, it plays a structural role in building mathematical and logical theories.

There is also the **Universal Set**, which contains all possible elements within a specific field of discourse or investigation, serving as a baseline reference when studying relations and operations between sets.

Other important types include **Equal Sets**, which possess exactly the same elements, and **Equivalent Sets**, which have the same number of elements (cardinality) even if the nature of those elements differs.

Additionally, the concept of a **Subset** stands out, which is based on the containment of one set inside a larger one. This concept is one of the most widely utilized tools in mathematical and logical proofs.

Relations Between Sets

The study of sets is built upon a group of core relations that determine how sets connect with one another:

- **Membership** :($\in$) This relation links an individual element to a set.
- **Containment** :($\supseteq$) This relation links one set to another set.

The clear distinction between these two relations has eliminated much of the historical confusion in mathematical and logical thinking. Other relations pertain to equality, equivalence, overlapping, and disjointedness—all representing different forms of association between sets. The importance of these relations lies in allowing complex mathematical structures to be analyzed and broken down into simpler, clearer components.

Operations on Sets

Operations on sets represent the dynamic dimension of set theory, as they allow for constructing entirely new sets from pre-existing ones:

- **Union** ($\cup$) :One of the most common operations; it expresses the gathering of elements from two or more sets into a single set that contains all elements belonging to any of them.
- **Intersection** ($\cap$) :Expresses the elements shared in common between sets. Therefore, it plays a vital role in revealing the points of convergence between different concepts or categories.

- **Difference ($\setminus$ or $-$)** :Allows for isolating elements that exist in one set but do not exist in another, making it an effective tool in processes of distinction and classification.
- **Complement (A' or $\setminus(A^{\{c\}})$)** :Involves identifying the elements that do not belong to a specific set within the framework of the universal set. This operation is deeply intertwined with the concept of negation in logic.

Together, these operations form a mathematical and logical foundation for understanding complex relationships between different groups.

Laws of Set Operations

Just as there are laws governing logical connectives in propositional logic, there are also laws regulating operations between sets:

- **Commutative Laws** :Show that the order of sets does not affect the outcome of a union or an intersection.
- **Associative Laws** :Allow for regrouping operations without changing the final results.
- **Distributive Laws** :Link union and intersection together.
- **Identity and Absorption Laws** :Play a major role in simplifying mathematical and logical expressions.
- **De Morgan's Laws** :These are among the most critical laws because they reveal the deep connection between set operations and logical connectives, demonstrating how complements can transform unions into intersections and vice versa.

Logical and Philosophical Importance of Set Theory

The significance of set theory is not restricted to mathematical mechanics; it extends directly into philosophy and logic. It represents a premier model for abstract thinking and the rational organization of knowledge, helping clarify concepts of classification, identity, difference, and belonging.

Analytic philosophy has leveraged the concepts of set theory to study language and the logical relations between concepts. Many contemporary

intellectual movements have also relied on it to analyze epistemological and structural frameworks. In mathematical logic, set theory has become an indispensable tool for building formal systems, formulating theorems, and analyzing relationships between propositions, predicates, and functions.

Applications of Set Theory

Today, set theory enters into a vast array of scientific and technical fields:

- **In Mathematics :**It is used to ground almost all modern mathematical branches.
- **In Computer Science :**It is utilized in designing relational databases, analyzing algorithms, and structuring programming languages.
- **In Artificial Intelligence :**It plays an important role in knowledge representation, expert systems, and logical networks.
- **In the Humanities and Social Sciences :**Concepts of sets are used in classification processes, statistical analysis, and studying relationships between different phenomena.

These applications demonstrate the universal character of the theory and its ability to cross the traditional boundaries between sciences.

Conclusion

Set theory represents one of the greatest intellectual achievements in the history of modern logic and mathematics, providing a precise language and an abstract methodology to organize knowledge and analyze relationships between things and concepts. Through the concepts of the set, the element, membership, containment, and various operations, it became possible to construct an expansive logical and mathematical framework that serves as the basis for much of contemporary science. Therefore, understanding set theory is not merely the study of a specific mathematical topic; rather, it is an essential entry point to grasping the deep structure of mathematical logic and its modern analytical tools.