البحوث المسجلة لمنتسبي قسم علوم الارض للعام الدراسي 204-2025

عنوان البحث		اسم التدريسي	ت
Calcareous Nannofossils Evidence to Paleoclimate in Upper Cretaceous Oceans, Case Study from Shiranish Formation in Type Section, Northern Iraq The First Documentation for Crocodile Fossils from Fatha Formation (Middle Miocene), Southern Mosul City, Northern Iraq Biostratigraphy and age determination of the Gulneri Formation in K116 well, Kirkuk Oilfield, Northeastern Iraq The calcareous nannofossils biostratigraphy of the Dokan Formation from BH (86) well, Northern Iraq The calcareous nannofossils biostratigraphy of the Dokan Formation from K (243) well, Northern Iraq Nannobiostratigraphic study of Dokan Formation (Cenomanian) in the kosrat anticline, Northeastern Iraq et Calcareous Nannofossils Biostratigraphy of the Hartha ormation from Qasab (11) Well Southern Mosul Area in Nineveh Governorate, Northern Iraq Petrophystics and Nannobiostratigraphy data from the niacian-Santonian interval of the Kometan Formation in the Oceanic Anoxic Event 3 (OAE3) leoclimate evidence using calcareous nannofossils from Mushorah Formation in Northwestern Iraq Nannaostratigraphic Study of Kometan Formation (U. Turonian – L. Campanian), in Kosrat anticline, Northern Iraq	استاذ	اسم التدريسي عمر احمد مولود شهاب رئيس القسم	1

monitoring of groundwater injection management in selected aquifers in Nineveh Geometric analysis and tectonic style of the Aqra anticline, northeastern Iraq Governorate The Indication of geomorphic evidence for lateral propagation for skaikhan anticline –zagros fold and thrustbelt-northern Iraq Deoositional environment and tectonic phenomena in the Kometan F ormation, northeastern Iraq	استاذ مساعد	د. صدام عیسی مصطفی مقرر القسم	2
Microfacies Analysis and Depositional Environment of Bekhme Formation (Late Campanian- Early Maastrichtian) in Selected Area, North and .Northeastern Iraq Identifying New Ostracods Species of Genera Bairdia, Bythocypris, Paracypris and Abyssocypris from Aaliji Formation from Borehole Jambour (46) in Kirkuk Area Northeastern Iraq Ostracoda and Biostratigraphy of Tangero Formations in Northeast limb of Azimer anticline, Chwarta city,NE Iraq. area,Sulaimaniyah Paleoecology of the Ostracode Assemblages of the Shiransh Formation (upper campanian- maastrichtian) from Bekhair Anticline, Duhok, North Iraq	استاذ	د. نسرین مال الله عزیز	3
Sedimentological study of Sinjar Formation (Upper Paleocene-Lower Eocene) in Bekhme area, Erbil Governorate, Eastern Iraq. Comprehensive Sedimentological Study of the Danian Aaliji Formation from the Duhok Area, Northern Iraq Four New Species from the Late Campanian- Early Maastrichtian Ostracods of the Bekhme Formation, Dohuk Area, Northern Iraq Nannaostratigraphic Study of Kometan Formation (U. Turonian – L. Campanian), in Kosrat anticline, Northern Iraq Microfacies analysis and depositional environment of Bekhme Formation (late Campanian – early Maastrichtian) in selected outcrop North and Northeastern Iraq. Petrophystics and Nannobiostratigraphy data from the Coniacian-Santonian interval of the Kometan Formation in the Bai Hassan-86 Oil field, Northern Iraq: Implication for the Oceanic Anoxic Event 3 (OAE3)	استاذ	د. زيد عبد الو هاب ملك خليل	4

Nannobiostratigraphic study of Dokan Formation (Cenomanian) in the kosrat anticline, Northeastern Iraq Planktonic Foraminifera Biostratigraphy of Palani Formation (Lower Oligocene), in Kirkuk Oilfield, Northeastern Iraq Avana Facies analysis and Sedimentary Environment of Formation (Late Eocene), In two outcrops of Northern Iraq Microfacies Analysis and Depositional Environment of Jeribe Formation (Early Middle Miocene) in the Two Selected Sections Northern of Iraq	استاذ	د. رافع إبراهيم عبد الله	5
Petrophysical and geochemical constraints on alter action processes in shalane granite, northeastern Iraq Geochemical signature of shalair granite in NE Iraq, Implications for melt evolution tectonic setting		د. سحر عبد قاسم محمد	6
Dinoflagellate species (Middle-Late Eocene) of Gercus Formation,Bekhair Anticline ,Duhok, Northeren Iraq Dinoflagellate species (Middle Miocene)of Fatha Formation,Bekhair Anticline ,Duhok, Northeren Iraq Spores and Pollen grains (Middle-Late Eocene)of Gercus Formation,Bekhair Anticline ,Duhok, Northeren Iraq Spores and Pollen grains (Middle Miocene)of Fatha Formation,Bekhair Anticline ,Duhok, Northeren Iraq	استاذ مساعد	د. مهى عبد الحميد مصطفى	7
The benthic foraminifera biozone of the Khurmala Formation in the Bajalor section at the southern limb of the Bakhir anticline in the city of Dohuk, northern Iraq Biostratigraphy of Foraminifera and sedimentary environment of kolosh formation, Berat anticline, Bekhme area, North eastern Iraq	استاذ مساعد	د. عبد الله سلطان شهاب	8
The Study of Soil Type and Classification in the Area between Al-Safra Mount and Tigris River, Southern East Nineveh Governorate The Distribution and Evaluation of Heavy Elements in the Soil of Al-Hamdaniya District, Nineveh Governorate, Iraq The Soil Characteristics of the Area between Mosul City and Mount Bashiqa, Nineveh Governorate, Northern Iraq Evaluation of heavy metals contamination in Euphrates River and some Springs and Wells in Haditha District, Western Iraq Hydrogeochemistry and health risk assessments of surface and groundwater around industrial district in Qayarah area, Northern Iraq	استاذ مساعد	د. عاهد يونس عبد الله	9

Sequence stratigraphy of the Shiranish Formation in Hiran area northern Iraq Paleoecology, mineralogy and geochemistry of marine red beds in the upper part of Shiranish Formation (Late Campanian- Maastrichtian) in Heran area Northeastern Iraq Biostratigraphy and age determination of the Gulneri Formation in K116 well, Kirkuk Oilfield, Northeastern Iraq "Depositional Model of the Sarki Formation (Early Jurassic) in Sule area, Hendren Anticline, Northeastern Iraq The Calcareous Nannofossils Biostratigraphy of the Hartha Formation from Qasab (11) Well Southern Mosul Area in Nineveh Governorate, Northern Iraq Depositional Setting, Provenance and Tectonic setting of the Ga'ara Formation (Late Permian) in subsurface section, Southeastern Iraq. Depositional Model of the Sehkanian Formation (Early Jurassic) in selected section, Northeastern Iraq.	استاذ مساعد	د. محمد احمد محمد امین	10
Paleoenvironmental Conditions and Nature of Source Rocks of the Gulneri Formation in Northeastern Iraq Based on Rare Earth Elements Data Mineralogy and Geochemistry of the Gulneri Formation, Northeastern Iraq	استاذ مساعد	د. سالم حامد حسين البجاري	11
Morphotectonic Indices Of Some Geological Structures -Northern Iraq The Indication of geomorphic evidence for lateral propagation for skaikhan anticline –zagros fold and thrustbelt-northern Iraq	استاذ مساعد	د. ربيع خلف حسن زناد	12
Using Quantitative Diagenesis to characterise and understand carbonate CCUS prospects Quantification of the effect of fracturing on heterogeneity and reservoir quality of deep-water carbonate reservoirs	استاذ مساعد	د. عمر خلوق محمد ساجد	13
Effect of organic matter on soil electrical resistivity Using Azimuthal Resistivity Survey Technique to determining Subsurface Fractures of Quaternary Deposits in the University of Mosul - Northern Iraq Evaluation of Petrophysical Prpoerties and Oil Content of Hartha Formation in Qayyarah Oil field, Northern Iraq	استاذ مساعد	د. بشار عزیز محمود	14

	1	T	
Calcareous Nannofossils Evidence to Paleoclimate in Upper Cretaceous Oceans, Case Study from Shiranish Formation in Type Section, Northern Iraq The First Documentation for Crocodile Fossils from Fat'ha Formation (Middle Miocene), Southern Mosul City, Northern Iraq Some Ostracoda species from Khurmala Formation and their paleoecologic connotations, Northern Iraq Biostratigraphy and paleoenvironment of the Oligocene-Early Miocene successions at the Dahkan Anticline in the Bandwaya area, Northern Iraq Facies analysis of sedimentary successions between the Pila-Spi and Fatha formations in the Dehghan anticline, northern Iraq. The calcareous nannofossils biostratigraphy of the Dokan Formation from BH (86) well, Northern Iraq The calcareous nannofossils biostratigraphy of the	استاذ مساعد	د. إبراهيم يونس احمد محمد	15
Dokan Formation from K (243) well, Northern Iraq			
Biostratigraphy and paleoenvironment of the Oligocene-Early Miocene successions at the Dahkan Anticline in the Bandwaya area, Northern Iraq. Facies analysis of sedimentary successions between the Pila-Spi and Fatha formations in the Dehghan anticline, northern Iraq	استاذ مساعد	د. فلاح عبد محمد المعماري	16
Measuring the percention of pollution in selected wells from the Ain Sefra area, northeastern of Mosul city using pollution index Evaluation of ground water quality from selected wells, right bank of Mosul city Water injection management in selected aquifers in Nineveh Governorate	استاذ مساعد	د. محمد شیت محمد رمز <i>ي</i>	17
Paleoenvironmental Conditions and Nature of Source Rocks of the Gulneri Formation in Northeastern Iraq Based on Rare Earth Elements Data Mineralogy and Geochemistry of the Gulneri Formation, Northeastern Iraq Geochemical evaluation of Agricultural Soil in Al-Ba'aj town, northwest of Mosul city/Iraq Distribution of heavy elements in rural surface soil: Al-Ba'aj town / Northwestern Iraq	استاذ مساعد	د. فلیح حسن عباس حمزة	18
Paleoenvironmental Conditions and Nature of Source Rocks of the Gulneri Formation in Northeastern Iraq Based on Rare Earth Elements Data Mineralogy and Geochemistry of the Gulneri Formation, Northeastern Iraq Deoositional environment and tectonic phenomena in the Kometan F ormation, northeastern Iraq	استاذ مساعد	د. صفوان فتحي حميد	19

	1	1	
Calcareous Nannofossils Evidence to Paleoclimate in Upper Cretaceous Oceans, Case Study from Shiranish Formation in Type Section, Northern Iraq Microfacies and sedimentary environment of Khurmala Formation in Shaqlawa and Dohuk area, Northern Iraq The calcareous nannofossils biostratigraphy of the Dokan Formation from BH (86) well, Northern Iraq The calcareous nannofossils biostratigraphy of the Dokan Formation from K (243) well, Northern Iraq	استاذ مساعد	د. محفوظ عبد الله علي	20
Measuring the percention of pollution in selected wells from the Ain Sefra area, northeastern of Mosul city using pollution index Simulation of flooding residential neighborhoods in Mosul city due to Mosul Dam breakdown monitoring of groundwater injection management in selected aquifers in Nineveh Governorate	استاذ مساعد	السيد ضياء غا <i>وي ص</i> الح	21
طالبة دراسات عليا	استاذ مساعد	السيدة زينب مصدق نجيب	22
Planktonic Foraminifera Biostratigraphy of Palani Formation (Lower Oligocene), in Kirkuk Oilfield, Northeastern Iraq Some species of Ostracoda of Baluti Formation (upper .Triassic), Baluti village section, northern Iraq	مدرس	د. سند عبدالاله محمود	23
Study of heavy and clay minerals for recent sediments of mosul dam lake, northern Iraq Planktonic Foraminifera Biostratigraphy of Palani Formation (Lower Oligocene), in Kirkuk Oilfield, Northeastern Iraq	مدرس	د. احمد ننير ذنون ال فتاح	24
The First Documentation for Crocodile Fossils from Fat'ha Formation (Middle Miocene), Southern Mosul City, Northern Iraq Classification, hazard assessment and optimization strategy for the some Critical Rockfall Location in Duhok Area-Iraq. Geometric analysis and tectonic style of the Aqra anticline, northeastern Iraq	مدرس	د. محمود عبد الحق خميس	25
Petrophysical and petrographic properties of Oligocene petroleum reservoirs, Northern Iraq Heavy mineral study of Gercus Formation in Darbandi Basara anticline, Sulaymaniyah area, Northern Iraq The petrophysical characteristics of the Sinjar Formation in one of the wells of the Kirkuk oil field - Northeast of Iraq	مدرس	د. رضوان خلیل حیدر	26
Simulation of flooding residential neighborhoods in Mosul city due to Mosul Dam breakdown Water injection management in selected aquifers in Nineveh Governorate	مدرس	د. عادل مراد عواد ارحیل	27

Geochemical evaluation of Agricultural Soil in Al-Ba'aj town, northwest of Mosul city/Iraq Distribution of heavy elements in rural surface soil: Al-Ba'aj town / Northwestern Iraq	مدرس	سيف الدين داؤود	35
metals in the topsoil around Badoush Cement Factory/ Iraq Petrography and XRD analysis of contact metamorphic rocks of bulfat complex NE iraq		السيد عمر	
Petrography and XRD analysis of contact metamorphic rocks of bulfat complex NE iraq Geochemical evaluation of Agricultural Soil in Al-Ba'aj town, northwest of Mosul city/Iraq Distribution of heavy elements in rural surface soil: Al-Ba'aj town / Northwestern Iraq Contamination level and risk assessment of heavy	مدرس	السيد محمد أحمد سليمان	34
Contamination level and risk assessment of heavy metals in the topsoil around Badoush Cement Factory/ Iraq		0 41 91	
طالبة در اسات عليا	مدرس	السيدة زهراء جرجيس محمد	33
طالب در اسات علیا	مدرس	السيد شريف ثمود شريف	32
Clinker produced in cement factories in Nineveh Governorate: A comparative study Recycle the Used Dental Plaster Type 2	مدرس	السيد ع <i>دي</i> محمد صالح	30
Sedimintological analysis of The Dokan Formation (Cenomaian) in Goizha Section, Azmar Anticline, Northeastern Iraq Petrophysical properties of pila spi /Avana Formation in selected well from Kirkuk Oil Field Northeastern Iraq Petrophysical characteristics of of (Burdigalian- Langhian) succession in selected well from Jambur Oil Field Northeastern Iraq Sequence stratigraphy of the Shiranish Formation in Hiran area northern Iraq. Paleoecology,mineralogy and geochemistry of marine red beds in the upper part of Shiranish Formation (Late Campanian- Maastrichtian) in Heran area Northeastern Iraq. Petrophysical characteristics of of (Burdigalian- Langhian) succession in selected well from Jambur Oil Field Northeastern Iraq	مدرس	د. نور طلال اسماعیل	29
Contamination level and risk assessment of heavy metals in the topsoil around Badoush Cement Factory/ Iraq Petrography and XRD analysis of contact metamorphic rocks of bulfat complex NE iraq	مدرس	د. روئ محمد حسن	28

		محمود سعيد	
		السيد عزت	\vdash
طالب دراسات علیا	مدرس	ابراهیم خضر	37
طالب در اسات علیا		٬بر٬حیم ـــــر	
, , ,		السيد مدين	38
GIS-based spatial distribution of flood hazards in the	مدرس	رعد غزال	30
Chamchamal basin of Kirkuk, NE Iraq.			
External morphological characteristics of some			
Ostracode species and their environmental significance		الآنسة لمي	20
within different Formations in Iraq.	مدرس	حازم احمد	39
Some Ostracoda species from Khurmala Formation and		,	
their paleoecologic connotations, Northern Iraq			
Hydrogeochemical Assessment of Groundwater for	مدرس	السيدة أن عبد	
Irrigation and Drinking of Al- Kubba and Sherikhan	مساعد	الستار	40
Area North West of Mosul City		J = -	
Tertiary Reservoir Khabaz Oil Field Energy and Future			
Performance Prediction by Material balance Equation	مدرس	السيد ريان عبد	
Improved Productivity through a Comprehensive	مدرس	السيد ريان عبد الحق احمد	41
Investigation of Hydraulic Acid Fracturing to Address		الحق احمد	
Asphaltene-Induced Decline in Carbonate Formation			
The Impact of Geological Structure on Urban			
Expansion in Akre City from Hydrogeological and		, , tı	
Stratigraphic Perspectives	مدرس	السيد محمد	42
Assessment Potential Rooftop Rainwater Harvesting for	مساعد	موفق يحيى	
Mosul City using applications of GIS			
The Impact of Geological Structure on Urban			
Expansion in Akre City from Hydrogeological and		•.	
Stratigraphic Perspectives	مدرس	السيد محمد	43
Clinker produced in cement factories in Nineveh	مساعد	حامد أبراهيم	.5
Governorate: A comparative study			
استخدام معادلة شيرر لحساب الحجم البلوري من حيود الأشعة السينية			
المصدام معدد سيرار تصدب المصبح المصوري من ميود الاستدام معدد الميرار تصدب المصبح المصداري من ميود الاستدام معدد	مدرس	السيد ميسر	44
The Impact of Geological Structure on Urban	مساعد	سمير محمود	TT
Expansion in Akre City from Hydrogeological and			
Stratigraphic Perspectives			
Suaugrapine reispectives			
Petrophystics and Nannobiostratigraphy data from the			
niacian-Santonian interval of the Kometan Formation in			
Bai Hassan-86 Oil field, Northern Iraq: Implication for			
the Oceanic Anoxic Event 3 (OAE3)	4.11. 1. 2. 1	السيدة بنا مد	45
The calcareous nannofossils biostratigraphy of the	مدر س مساعد	السيدة رنا عبد الاله محمود	43
O 1 •	مساعد	الانه محمود	
Dokan Formation from BH (86) well, Northern Iraq			
The calcareous nannofossils biostratigraphy of the			
Dokan Formation from K (243) well, Northern Iraq			
Nannaostratigraphic Study of Kometan Formation (U.			
Turonian – L. Campanian), in Kosrat anticline,			
Northern Iraq		11	
تعيين 2024	مدرس	السيد امين	45
	مساعد	سطم احمد	
تعيين 2024	مدرس	السيد مومن	46
	مساعد	محمد يونس	

Depositional environments of Khurmala / Sinjar Formation from two selected sections, Northern Iraq Sedimentological study of Sinjar Formation (Upper Paleocene-Lower Eocene) in Bekhme area, Erbil Governorate, Eastern Iraq. The calcareous nannofossils biostratigraphy of the Dokan Formation from K (243) well, Northern Iraq	مدر س مساعد	السيدة ايمان ناظم حازم	47
Paleoclimate evidence using calcareous nannofossils from Mushorah Formation in Northwestern Iraq The Impact of Geological Structure on Urban Expansion in Akre City from Hydrogeological and Stratigraphic Perspectives The calcareous nannofossils biostratigraphy of the Dokan Formation from BH (86) well, Northern Iraq	مدر س مساعد	السيدة بسمة محمد شريف	48