

البحوث المسجلة لمنتسبي قسم علوم الارض

للعام الدراسي 2025-204

ت	اسم التدريسي	عنوان البحث
1	عمر احمد مولود شهاب رئيس القسم	Calcareous Nannofossils Evidence to Paleoclimate in Upper Cretaceous Oceans, Case Study from Shiranish Formation in Type Section, Northern Iraq The First Documentation for Crocodile Fossils from Fat'ha Formation (Middle Miocene), Southern Mosul City, Northern Iraq Biostratigraphy and age determination of the Gulneri Formation in K116 well, Kirkuk Oilfield, Northeastern Iraq The calcareous nannofossils biostratigraphy of the Dokan Formation from BH (86) well, Northern Iraq The calcareous nannofossils biostratigraphy of the Dokan Formation from K (243) well, Northern Iraq Nannobiostratigraphic study of Dokan Formation (Cenomanian) in the kosrat anticline, Northeastern Iraq Calcareous Nannofossils Biostratigraphy of the Hartha Formation from Qasab (11) Well Southern Mosul Area in Nineveh Governorate, Northern Iraq Petrophysitics and Nannobiostratigraphy data from the Campanian-Santonian interval of the Kometan Formation in the Bai Hassan-86 Oil field, Northern Iraq: Implication for the Oceanic Anoxic Event 3 (OAE3) Paleoclimate evidence using calcareous nannofossils from Mushorah Formation in Northwestern Iraq Nannobiostratigraphic Study of Kometan Formation (U. Turonian – L. Campanian), in Kosrat anticline, Northern Iraq

monitoring of groundwater injection management in selected aquifers in Nineveh Geometric analysis and tectonic style of the Aqra anticline, northeastern Iraq Governorate The Indication of geomorphic evidence for lateral propagation for skaikhan anticline –zagros fold and thrustbelt-northern Iraq Deoositional environment and tectonic phenomena in the Kometan F ormation, northeastern Iraq	استاذ مساعد	د. صدام عيسى مصطفى مقرر القسم	2
Microfacies Analysis and Depositional Environment of Bekhme Formation (Late Campanian- Early Maastrichtian) in Selected Area, North and .Northeastern Iraq Identifying New Ostracods Species of Genera Bairdia , Bythocypris , Paracypris and Abyssocypris from Aaliji Formation from Borehole Jambour (46) in Kirkuk Area Northeastern Iraq Ostracoda and Biostratigraphy of Tangero Formations in Northeast limb of Azimer anticline, Chwarta city,NE Iraq. area,Sulaimaniyah Paleoecology of the Ostracode Assemblages of the Shiransh Formation (upper campanian- maastrichtian) from Bekhair Anticline, Duhok, North Iraq	استاذ	د. نسرين مال الله عزيز	3
Sedimentological study of Sinjar Formation (Upper Paleocene-Lower Eocene) in Bekhme area, Erbil Governorate, Eastern Iraq. Comprehensive Sedimentological Study of the Danian Aaliji Formation from the Duhok Area, Northern Iraq Four New Species from the Late Campanian- Early Maastrichtian Ostracods of the Bekhme Formation, Dohuk Area, Northern Iraq Nannaostratigraphic Study of Kometan Formation (U. Turonian – L. Campanian), in Kosrat anticline, Northern Iraq Microfacies analysis and depositional environment of Bekhme Formation (late Campanian – early Maastrichtian) in selected outcrop North and Northeastern Iraq. Petrophysitics and Nannobiostratigraphy data from the Coniacian-Santonian interval of the Kometan Formation in the Bai Hassan-86 Oil field, Northern Iraq: Implication for the Oceanic Anoxic Event 3 (OAE3)	استاذ	د. زيد عبد الوهاب ملك خليل	4

Nannobiostratigraphic study of Dokan Formation (Cenomanian) in the Kosrat anticline, Northeastern Iraq Planktonic Foraminifera Biostratigraphy of Palani Formation (Lower Oligocene), in Kirkuk Oilfield, Northeastern Iraq Avana Facies analysis and Sedimentary Environment of Formation (Late Eocene), In two outcrops of Northern Iraq Microfacies Analysis and Depositional Environment of Jeribe Formation (Early Middle Miocene) in the Two Selected Sections Northern of Iraq	استاذ	د. رافع إبراهيم عبد الله	5
Petrophysical and geochemical constraints on alteration processes in shalane granite, northeastern Iraq Geochemical signature of shalair granite in NE Iraq, Implications for melt evolution tectonic setting		د. سحر عبد قاسم محمد	6
Dinoflagellate species (Middle-Late Eocene) of Gercus Formation, Bekhair Anticline, Duhok, Northern Iraq Dinoflagellate species (Middle Miocene) of Fatha Formation, Bekhair Anticline, Duhok, Northern Iraq Spores and Pollen grains (Middle-Late Eocene) of Gercus Formation, Bekhair Anticline, Duhok, Northern Iraq Spores and Pollen grains (Middle Miocene) of Fatha Formation, Bekhair Anticline, Duhok, Northern Iraq	استاذ مساعد	د. مهى عبد الحميد مصطفى	7
The benthic foraminifera biozone of the Khurmala Formation in the Bajalor section at the southern limb of the Bakhir anticline in the city of Dohuk, northern Iraq Biostratigraphy of Foraminifera and sedimentary environment of Kolosh formation, Berat anticline, Bekhme area, North eastern Iraq	استاذ مساعد	د. عبد الله سلطان شهاب	8
The Study of Soil Type and Classification in the Area between Al-Safra Mount and Tigris River, Southern East Nineveh Governorate The Distribution and Evaluation of Heavy Elements in the Soil of Al-Hamdaniya District, Nineveh Governorate, Iraq The Soil Characteristics of the Area between Mosul City and Mount Bashiqa, Nineveh Governorate, Northern Iraq Evaluation of heavy metals contamination in Euphrates River and some Springs and Wells in Haditha District, Western Iraq Hydrogeochemistry and health risk assessments of surface and groundwater around industrial district in Qayarah area, Northern Iraq	استاذ مساعد	د. عاهد يونس عبد الله	9

Sequence stratigraphy of the Shiranish Formation in Hiran area northern Iraq Paleoecology, mineralogy and geochemistry of marine red beds in the upper part of Shiranish Formation (Late Campanian- Maastrichtian) in Heran area Northeastern Iraq Biostratigraphy and age determination of the Gulneri Formation in K116 well, Kirkuk Oilfield, Northeastern Iraq “ Depositional Model of the Sarki Formation (Early Jurassic) in Sule area, Hendren Anticline, Northeastern Iraq The Calcareous Nannofossils Biostratigraphy of the Hartha Formation from Qasab (11) Well Southern Mosul Area in Nineveh Governorate, Northern Iraq Depositional Setting, Provenance and Tectonic setting of the Ga'ara Formation (Late Permian) in subsurface section, Southeastern Iraq. Depositional Model of the Sehkanian Formation (Early Jurassic) in selected section, Northeastern Iraq.	استاذ مساعد	د. محمد احمد محمد امين	10
Paleoenvironmental Conditions and Nature of Source Rocks of the Gulneri Formation in Northeastern Iraq Based on Rare Earth Elements Data Mineralogy and Geochemistry of the Gulneri Formation, Northeastern Iraq	استاذ مساعد	د. سالم حامد حسين البجاري	11
Morphotectonic Indices Of Some Geological Structures -Northern Iraq The Indication of geomorphic evidence for lateral propagation for skaikhan anticline –zagros fold and thrustbelt-northern Iraq	استاذ مساعد	د. ربيع خلف حسن زناد	12
Using Quantitative Diagenesis to characterise and understand carbonate CCUS prospects Quantification of the effect of fracturing on heterogeneity and reservoir quality of deep-water carbonate reservoirs	استاذ مساعد	د. عمر خلوق محمد ساجد	13
Effect of organic matter on soil electrical resistivity Using Azimuthal Resistivity Survey Technique to determining Subsurface Fractures of Quaternary Deposits in the University of Mosul - Northern Iraq Evaluation of Petrophysical Properties and Oil Content of Hartha Formation in Qayyarah Oil field, Northern Iraq	استاذ مساعد	د. بشار عزيز محمود	14

Calcareous Nannofossils Evidence to Paleoclimate in Upper Cretaceous Oceans, Case Study from Shiranish Formation in Type Section, Northern Iraq The First Documentation for Crocodile Fossils from Fat'ha Formation (Middle Miocene), Southern Mosul City, Northern Iraq Some Ostracoda species from Khurmala Formation and their paleoecologic connotations , Northern Iraq Biostratigraphy and paleoenvironment of the Oligocene-Early Miocene successions at the Dahkan Anticline in the Bandwaya area, Northern Iraq Facies analysis of sedimentary successions between the Pila-Spi and Fatha formations in the Dehghan anticline, northern Iraq. The calcareous nannofossils biostratigraphy of the Dokan Formation from BH (86) well, Northern Iraq The calcareous nannofossils biostratigraphy of the Dokan Formation from K (243) well, Northern Iraq	استاذ مساعد	د. إبراهيم يونس احمد محمد	15
Biostratigraphy and paleoenvironment of the Oligocene-Early Miocene successions at the Dahkan Anticline in the Bandwaya area, Northern Iraq. Facies analysis of sedimentary successions between the Pila-Spi and Fatha formations in the Dehghan anticline, northern Iraq	استاذ مساعد	د. فلاح عبد محمد المعماري	16
Measuring the pereentiong of pollution in selected wells from the Ain Sefra area, northeastern of Mosul city using pollution index Evaluation of ground water quality from selected wells, right bank of Mosul city Water injection management in selected aquifers in Nineveh Governorate	استاذ مساعد	د. محمد شبيب محمد رمزي	17
Paleoenvironmental Conditions and Nature of Source Rocks of the Gulneri Formation in Northeastern Iraq Based on Rare Earth Elements Data Mineralogy and Geochemistry of the Gulneri Formation, Northeastern Iraq Geochemical evaluation of Agricultural Soil in Al-Ba'aj town , northwest of Mosul city/Iraq Distribution of heavy elements in rural surface soil : Al-Ba'aj town / Northwestern Iraq	استاذ مساعد	د. فليح حسن عباس حمزة	18
Paleoenvironmental Conditions and Nature of Source Rocks of the Gulneri Formation in Northeastern Iraq Based on Rare Earth Elements Data Mineralogy and Geochemistry of the Gulneri Formation, Northeastern Iraq Deoositional environment and tectonic phenomena in the Kometan F ormation, northeastern Iraq	استاذ مساعد	د. صفوان فتحي حميد	19

Calcareous Nannofossils Evidence to Paleoclimate in Upper Cretaceous Oceans, Case Study from Shiranish Formation in Type Section, Northern Iraq Microfacies and sedimentary environment of Khurmala Formation in Shaqlawa and Dohuk area, Northern Iraq The calcareous nannofossils biostratigraphy of the Dokan Formation from BH (86) well, Northern Iraq The calcareous nannofossils biostratigraphy of the Dokan Formation from K (243) well, Northern Iraq	استاذ مساعد	د. محفوظ عبد الله علي	20
Measuring the pereentiong of pollution in selected wells from the Ain Sefra area, northeastern of Mosul city using pollution index Simulation of flooding residential neighborhoods in Mosul city due to Mosul Dam breakdown monitoring of groundwater injection management in selected aquifers in Nineveh Governorate	استاذ مساعد	السيد ضياء غاوي صالح	21
طالبة دراسات عليا	استاذ مساعد	السيدة زينب مصدق نجيب	22
Planktonic Foraminifera Biostratigraphy of Palani Formation (Lower Oligocene), in Kirkuk Oilfield, Northeastern Iraq Some species of Ostracoda of Baluti Formation (upper .Triassic), Baluti village section, northern Iraq	مدرس	د. سند عبدالاله محمود	23
Study of heavy and clay minerals for recent sediments of mosul dam lake, northern Iraq Planktonic Foraminifera Biostratigraphy of Palani Formation (Lower Oligocene), in Kirkuk Oilfield, Northeastern Iraq	مدرس	د. احمد نذير ذنون ال فتاح	24
The First Documentation for Crocodile Fossils from Fat'ha Formation (Middle Miocene), Southern Mosul City, Northern Iraq Classification, hazard assessment and optimization strategy for the some Critical Rockfall Location in Duhok Area-Iraq. Geometric analysis and tectonic style of the Aqra anticline, northeastern Iraq	مدرس	د. محمود عبد الحق خميس	25
Petrophysical and petrographic properties of Oligocene petroleum reservoirs, Northern Iraq Heavy mineral study of Gercus Formation in Darbandi Basara anticline, Sulaymaniyah area, Northern Iraq The petrophysical characteristics of the Sinjar Formation in one of the wells of the Kirkuk oil field - Northeast of Iraq	مدرس	د. رضوان خليل حيدر	26
Simulation of flooding residential neighborhoods in Mosul city due to Mosul Dam breakdown Water injection management in selected aquifers in Nineveh Governorate	مدرس	د. عادل مراد عواد ارحيل	27

Contamination level and risk assessment of heavy metals in the topsoil around Badoush Cement Factory/ Iraq Petrography and XRD analysis of contact metamorphic rocks of bulfat complex NE Iraq	مدرس	د. روى محمد حسن	28
Sedimentological analysis of The Dokan Formation (Cenomanian) in Goizha Section, Azmar Anticline, Northeastern Iraq Petrophysical properties of pila spi /Avena Formation in selected well from Kirkuk Oil Field Northeastern Iraq Petrophysical characteristics of (Burdigalian-Langhian) succession in selected well from Jambur Oil Field Northeastern Iraq Sequence stratigraphy of the Shiranish Formation in Hiran area northern Iraq. Paleoecology, mineralogy and geochemistry of marine red beds in the upper part of Shiranish Formation (Late Campanian- Maastrichtian) in Heran area Northeastern Iraq. Petrophysical characteristics of (Burdigalian-Langhian) succession in selected well from Jambur Oil Field Northeastern Iraq	مدرس	د. نور طلال اسماعيل	29
Clinker produced in cement factories in Nineveh Governorate: A comparative study Recycle the Used Dental Plaster Type 2	مدرس	السيد عدي محمد صالح	30
طالب دراسات عليا	مدرس	السيد شريف ثمود شريف	32
طالبة دراسات عليا	مدرس	السيدة زهراء جرجيس محمد	33
Contamination level and risk assessment of heavy metals in the topsoil around Badoush Cement Factory/ Iraq Petrography and XRD analysis of contact metamorphic rocks of bulfat complex NE Iraq Geochemical evaluation of Agricultural Soil in Al-Ba'aj town , northwest of Mosul city/Iraq Distribution of heavy elements in rural surface soil : Al-Ba'aj town / Northwestern Iraq	مدرس	السيد محمد أحمد سليمان	34
Contamination level and risk assessment of heavy metals in the topsoil around Badoush Cement Factory/ Iraq Petrography and XRD analysis of contact metamorphic rocks of bulfat complex NE Iraq Geochemical evaluation of Agricultural Soil in Al-Ba'aj town , northwest of Mosul city/Iraq Distribution of heavy elements in rural surface soil : Al-Ba'aj town / Northwestern Iraq	مدرس	السيد عمر سيف الدين داؤود	35
طالبة دراسات عليا	مدرس	السيدة ألاء	36

		محمود سعيد	
طالب دراسات عليا	مدرس	السيد عزت ابراهيم خضر	37
طالب دراسات عليا GIS-based spatial distribution of flood hazards in the Chamchamal basin of Kirkuk, NE Iraq.	مدرس	السيد مدين رعد غزال	38
External morphological characteristics of some Ostracode species and their environmental significance within different Formations in Iraq. Some Ostracoda species from Khurmala Formation and their paleoecologic connotations , Northern Iraq	مدرس	الآنسة لمى حازم احمد	39
Hydrogeochemical Assessment of Groundwater for Irrigation and Drinking of Al- Kubba and Sherikhan Area North West of Mosul City	مدرس مساعد	السيدة أن عبد الستار	40
Tertiary Reservoir Khabaz Oil Field Energy and Future Performance Prediction by Material balance Equation Improved Productivity through a Comprehensive Investigation of Hydraulic Acid Fracturing to Address Asphaltene-Induced Decline in Carbonate Formation	مدرس مساعد	السيد ريان عبد الحق احمد	41
The Impact of Geological Structure on Urban Expansion in Akre City from Hydrogeological and Stratigraphic Perspectives Assessment Potential Rooftop Rainwater Harvesting for Mosul City using applications of GIS	مدرس مساعد	السيد محمد موفق يحيى	42
The Impact of Geological Structure on Urban Expansion in Akre City from Hydrogeological and Stratigraphic Perspectives Clinker produced in cement factories in Nineveh Governorate: A comparative study	مدرس مساعد	السيد محمد حامد أبراهيم	43
استخدام معادلة شيرر لحساب الحجم البلوري من حيود الأشعة السينية (XRD)	مدرس مساعد	السيد ميسر سمير محمود	44
The Impact of Geological Structure on Urban Expansion in Akre City from Hydrogeological and Stratigraphic Perspectives Petrophysitics and Nannobiostratigraphy data from the Maastrichtian-Santonian interval of the Kometan Formation in the Bai Hassan-86 Oil field, Northern Iraq: Implication for the Oceanic Anoxic Event 3 (OAE3) The calcareous nannofossils biostratigraphy of the Dokan Formation from BH (86) well, Northern Iraq The calcareous nannofossils biostratigraphy of the Dokan Formation from K (243) well, Northern Iraq Nannaostratigraphic Study of Kometan Formation (U. Turonian – L. Campanian), in Kosrat anticline, Northern Iraq	مدرس مساعد	السيدة رنا عبد الاله محمود	45
تعيين 2024	مدرس مساعد	السيد امين سطم احمد	45
تعيين 2024	مدرس مساعد	السيد مومن محمد يونس	46

Depositional environments of Khurmala / Sinjar Formation from two selected sections, Northern Iraq Sedimentological study of Sinjar Formation (Upper Paleocene-Lower Eocene) in Bekhme area, Erbil Governorate, Eastern Iraq. The calcareous nannofossils biostratigraphy of the Dokan Formation from K (243) well, Northern Iraq	مدرس مساعد	السيدة ايمان ناظم حازم	47
Paleoclimate evidence using calcareous nannofossils from Mushorah Formation in Northwestern Iraq The Impact of Geological Structure on Urban Expansion in Akre City from Hydrogeological and Stratigraphic Perspectives The calcareous nannofossils biostratigraphy of the Dokan Formation from BH (86) well, Northern Iraq	مدرس مساعد	السيدة بسمه محمد شريف	48